



PIN 1	2	3	4	5	6	7	8	9	10
COM COM	BC	AM	PM	1E	1D	1C	1B	2A	2B
PIN 11	12	13	14	15	16	17	18	19	20
COM 3C	3DP	2E	2D	2C	2DP	1E	1D	1C	1B
PIN 21	22	23	24	25	26	27	28	29	30
COM 1A	1F	1G	2A	2B	2C	2D	2E	2F	2G
PIN 31	32	33	34	35	36	37	38	39	40
COM 3F	3G	COL	PSI	%	Y	X	Y	Z	LOWBAT



厦门胜峰电子有限公司

Vs-Top Electronics Co., Ltd.

客户确认:

绘图:

绘图编号: VSTP-2043

单位: mm

审核:

客户编号:


日期: 2004.03.05



批准:


图纸版本号: 02




页数: 2/4





	厦门胜峰电子有限公司		
	Vs-Top Electronics Co.,Ltd.		
	客户确认:	绘图:	
	审核:	客户编号:	日期: 2004.03.05
	批准:	图纸版本号: 02	页数: 3/4



客户确认:	绘图:	绘图编号: VSTP-2043	 厦门胜峰电子有限公司 Vs-Top Electronics Co.,Ltd.	 	
	审核:	客户编号:			单位: mm
	批准:	图纸版本号: 02			日期: 2004.03.05